Physica C 167 (1990) 691–702
North-Holland

AUTHOR INDEX TO VOLUME 167

Adelerhof, D.J., see D.H.A. Blank	167 (1990) 423
Ahn, B.T., V.Y. Lee, R. Beyers, T.M. Gür and R.A. Huggins, Quaternary phase relations near $YBa_2Cu_3O_{6+x}$ at 850°C in reduced oxygen pressures	167 (1990) 529
Akinaga, H., see T. Mochiku	167 (1990) 560
Alvarez, G., see A. Bailey	167 (1990) 133
Amelinckx, S., see G. Van Tendeloo	167 (1990) 627
Amelinckx, S., see T. Krekels	167 (1990) 677
Amine, K., see B. Chevalier	167 (1990) 97
Antognazza, L., M.G. Karkut, J.-M. Triscone and Ø. Fischer, Growth and superconducting transition temperatures of Mo/Nb superlattices	167 (1990) 221
Apperley, M.H., see S.X. Dou	167 (1990) 525
Ares Fang, C.S., Y.D. Yao and C.C. Wu, Photoemission studies of the effects of silver in the electron-doped superconductor $Nd_{2-x}Ce_xCuO_{4-\delta}$	167 (1990) 89
Asano, H., see T. Mochiku	167 (1990) 560
Ayache, J., see R. Maury	167 (1990) 591
Bailey, A., G. Alvarez, T. Puzzer, S.L. Town, G.J. Russell and K.N.R. Taylor, Josephson behaviour for high critical density YBCO+Ag thick films on YSZ substrates	167 (1990) 133
Balachandran, U., see P. McGinn	167 (1990) 343
Balanyi, Sz., see S. Meszáros	167 (1990) 139
Bando, Y., see Y. Iye	167 (1990) 278
Bartolome, J., see R. Navarro	167 (1990) 549
Batlogg, B., see R.J. Cava	167 (1990) 67
Becker, S. and H.J. Dietze, Change in stoichiometry by laser-induced plasma deposition of high-T_c superconducting thin films	167 (1990) 509
Behera, S.N. and S. Bhattacharya, Collective modes of a spin density wave superconductor	167 (1990) 112
Berghuis, P., P.H. Kes, B. Dam, G.M. Stollman and J. van Bentum, Resistive states in thin films of $Y_2Ba_4Cu_8O_{16-\delta}$	167 (1990) 348
Bernas, H., see J. Lesueur	167 (1990) 1
Beyers, R., see B.T. Ahn	167 (1990) 529
Bharathi, A., see D. Vasumathi	167 (1990) 149
Bhattacharya, S., see S.N. Behera	167 (1990) 112
Blank, D.H.A., D.J. Adelerhof, J. Flokstra and H. Rogalla, Preparation of YBaCuO thin films on various substrates by laser ablation. Influence of the substrate temperature	167 (1990) 423
Blanton, T., see M. Lelental	167 (1990) 614
Bordet, P., see R.J. Cava	167 (1990) 67
Braunstein, G., see M. Lelental	167 (1990) 614
Broddin, D., see G. Van Tendeloo	167 (1990) 627
Brynestad, J., see T.B. Lindemer	167 (1990) 312
Buchal, Ch., see C.L. Jia	167 (1990) 463
Bucher, B., J. Karpinski, E. Kaldis and P. Wachter, Anisotropic behavior in untwinned $YBa_2Cu_4O_8$. Optical, magnetic and transport measurements at high pressure	167 (1990) 324

Budnick, J.I., see M.E. Filipkowski 167 (1990) 35
Burger, J.P., see J. Lesueur 167 (1990) 1
Buzdin, A.I. and A.Yu. Simonov, On the possibility of a first-order phase transition to the vortex state in layered superconductors 167 (1990) 388

Caignaert, V., R. Retoux, C. Michel, M. Hervieu and B. Raveau, Neutron diffraction study of the layered cuprate $Sr_{2-x}Nd_{1+x}Cu_2O_{6-y}$ 167 (1990) 483
Calestani, G., see C. Paracchini 167 (1990) 249
Cao, X.W., see H.H. Wen 167 (1990) 75
Capponi, J.J., see R.J. Cava 167 (1990) 67
Cava, R.J., P. Bordet, J.J. Capponi, C. Chaillout, J. Chenavas, T. Fournier, E.A. Hewat, J.L. Hodeau, J.P. Levy, M. Marezio, B. Batlogg and L.W. Rupp Jr., $Pb_3Sr_3Cu_3O_{8+\delta}Cl$: a new layered copper oxychloride 167 (1990) 67
Chaillout, C., see R.J. Cava 167 (1990) 67
Chandran, L. and T.M. Rice, Effect of O-hole superconductivity in a two spin fluid model of the CuO_2 planes 167 (1990) 127
Chen, D.-X., Y. Mei and H.L. Luo, Critical-current density in sintered high-T_c (Bi, Pb)–Sr–Ca–Cu–oxide 167 (1990) 317
Chen, L., see B. Zhao 167 (1990) 42
Chen, S., see M. Lelental 167 (1990) 614
Chen, W., see P. McGinn 167 (1990) 343
Chenavas, J., see R.J. Cava 167 (1990) 67
Chevalier, B., A. Tressaud, B. Lepine, K. Amine, J.M. Dance, L. Lozano, E. Hickey and J. Etourneau, Stabilization of a new superconducting phase by low temperature fluorination of La_2CuO_4 167 (1990) 97
Chitaree, R., see I.M. Tang 167 (1990) 491
Chu, H.T., see N.-L. Wu 167 (1990) 267
Collocott, S.J. and R. Driver, Specific heat of the high-T_c superconductor $(Bi, Pb)_2Sr_2Ca_2Cu_3O_{10}$ and related phases Ca_2CuO_3 and $(Ca_{0.86}Sr_{0.14})CuO_2$ from 0.4 to 20 K 167 (1990) 598

Dam, B., see P. Berghuis 167 (1990) 348
Dance, J.M., see B. Chevalier 167 (1990) 97
Dayal, R., see C. Infante 167 (1990) 640
Dayan, M., Large energy gap solutions of the generalized Eliashberg equation in high temperature superconductors 167 (1990) 228
Decamps, B., see H. Stroumbos 167 (1990) 375
Dehaudt, Ph., see M.-J. Rey 167 (1990) 162
De Jongh, L.J., see Q. Xu 167 (1990) 271
Dietrich, M.R., see H.A. Ludwig 167 (1990) 335
Dietze, H.J., see S. Becker 167 (1990) 509
Diko, P., see N. Hudáková 167 (1990) 408
Dou, S.X., H.K. Liu, M.H. Apperley, K.H. Song, C.C. Sorrell, K.E. Easterling, J. Niska and S.J. Guo, Improvement of critical current density in the Bi–Pb–Sr–Ca–Cu–O system through hot isostatic pressing 167 (1990) 525
Driver, R., see S.J. Collocott 167 (1990) 598
Driver, R., see T.E. Freeman 167 (1990) 609

Du, B., see Z. Gao 167 (1990) 49
Dubois, J.P., see H. Stroumbos 167 (1990) 375
Dubon, A., see C. Lacour 167 (1990) 287
Dumoulin, L., see J. Lesueur 167 (1990) 1

Eaiprasertsak, K., see I.M. Tang 167 (1990) 491
Easterling, K.E., see S.X. Dou 167 (1990) 525
Edwards, P.P., see R. Janes 167 (1990) 520
Eibschutz, M., see J.M. Tarascon 167 (1990) 20
El Mously, M.K., see C. Infante 167 (1990) 640
Epstein, A.J., see F. Zuo 167 (1990) 567
Etourneau, J., see B. Chevalier 167 (1990) 97

Faigel, G., see G. Oszlányi 167 (1990) 157
Fang, J., see H.H. Wen 167 (1990) 75
Farneth, W.E., see F. Zuo 167 (1990) 567
Feigel'man, M.V., V.B. Geshkenbein and A.I. Larkin, Pinning and creep in layered superconductors 167 (1990) 177
Fert, A.R., see R. Maury 167 (1990) 591
Fietz, W.H., see H.A. Ludwig 167 (1990) 335
Fil, D.V., see D.O. Livdan 167 (1990) 538
Filipkowski, M.E., J.I. Budnick and Z. Tan, Observation of a low temperature magnetic phase transition in nonsuperconducting $La_{2-x}Sr_xCuO_{4+y}$ by macroscopic magnetization and electron spin resonance 167 (1990) 35
Fischer, Ø., see L. Antognazza 167 (1990) 221
Fischer, J., see M. Zeh 167 (1990) 6
Fischer, P., see A.W. Hewat 167 (1990) 579
Flokstra, J., see D.H.A. Blank 167 (1990) 423
Forsthuber, M., see G. Hilscher 167 (1990) 472
Fournier, T., see R.J. Cava 167 (1990) 67
Francesconi, M.G., see C. Paracchini 167 (1990) 249
Freeman, T.E., J. Lusk, J.A. Robertson and R. Driver, Pressure studies of the superconducting transition in $(Bi, Pb)_2Sr_2Ca_2Cu_3O_{10}$ 167 (1990) 609
Fu, W.T., see Q. Xu 167 (1990) 271
Fukumoto, Y., see K. Shibutani 167 (1990) 102

Ganapathi, L., A. Kumar and J. Narayan, Characteristics of high-T_c $La_xY_{1-x}Ba_2Cu_3O_{7-\delta}$ superconductors 167 (1990) 669
Ganguly, P., see C. Infante 167 (1990) 640
Gao, W., S.-C. Li, D.A. Rudman and J.B. Vander Sande, The effect of Ag on the microstructure and properties of Bi(Pb)–Sr–Ca–Cu oxide/Ag superconducting microcomposites produced by oxidation of metallic precursor alloys 167 (1990) 395
Gao, Z., Z. Hou, B. Du, D. Zhang, G. Wang, C. Wang and C. Zhu, The resistivity and structural phase transition of $YBa_2Cu_3O_{7-x}$ at high temperatures 167 (1990) 49
Geshkenbein, V.B., see M.V. Feigel'man 167 (1990) 177
Gougeon, P., see R. Nava 167 (1990) 59
Gross, R., see M. Zeh 167 (1990) 6

Gross, R., see D. Kölle 167 (1990) 79
Groult, D., see T. Rouillon 167 (1990) 107
Gumber, P.K., see S.P. Tewari 167 (1990) 307
Guo, S.J., see S.X. Dou 167 (1990) 525
Gür, T.M., see B.T. Ahn 167 (1990) 529

Halász, G., see S. Meszáros 167 (1990) 139
Hansen, A., see E.L. Hinrichsen 167 (1990) 433
Hariharan, Y., see D. Vasumathi 167 (1990) 149
Hartmann, M., see D. Kölle 167 (1990) 79
Hayashi, S., see K. Shibutani 167 (1990) 102
Hayn, R., From Mott transition to charge-transfer gap in the Emery model 167 (1990) 359
Hearne, G.R., P.R. Stoddart and H. Pollak, Pronounced anharmonicity in the classical high-T_c superconductor Nb_3Sn 167 (1990) 415
Hervieu, M., see T. Rouillon 167 (1990) 107
Hervieu, M., see V. Caignaert 167 (1990) 483
Hewat, A.W., see M.-J. Rey 167 (1990) 162
Hewat, A.W., P. Fischer, E. Kaldis, J. Karpinski, S. Rusiecki and E. Jilek, High resolution neutron powder diffraction investigation of temperature and pressure effects on the structure of the high-T_c superconductor $Y_2Ba_4Cu_7O_{15}$ 167 (1990) 579
Hewat, E.A., see R.J. Cava 167 (1990) 67
Hickey, E., see B. Chevalier 167 (1990) 97
Hilscher, G., S. Pöllinger, M. Forsthuber, N. Pillmayr, K. Remschnig, P. Rogl, M. Reissner, W. Steiner and P. Knoll, The effect of Cu/Zn substitution in $Nd_{1.85}Ce_{0.15}CuO_4$ on superconductivity studied by magnetic, transport and specific heat measurements and Raman spectroscopy 167 (1990) 472
Hinrichsen, E.L., S. Roux and A. Hansen, The conductor–superconductor transition in disordered superconducting materials 167 (1990) 433
Hiraga, K., see T. Kajitani 167 (1990) 212
Hodeau, J.L., see R.J. Cava 167 (1990) 67
Hörhager, S., see M. Reissner 167 (1990) 495
Horie, Y., see B. Zhao 167 (1990) 42
Hou, Z., see Z. Gao 167 (1990) 49
Hubbard, C.R., see T.B. Lindemer 167 (1990) 312
Hudáková, N. and P. Diko, The study of phase transformation in $YBa_2Cu_3O_{7-x}$ by direct observation of the interphase boundary 167 (1990) 408
Huebener, R.P., see M. Zeh 167 (1990) 6
Huebener, R.P., see D. Kölle 167 (1990) 79
Huggins, R.A., see B.T. Ahn 167 (1990) 529
Hull, G.W., see J.M. Tarascon 167 (1990) 20
Husain, M., see C. Infante 167 (1990) 640

Infante, C., M.K. El Mously, R. Dayal, M. Husain, S.A. Siddiqi and P. Ganguly, On the localisation of charge carriers and suppression of superconductivity by praseodymium in systems derived from $YBa_2Cu_3O_{7-d}$ 167 (1990) 640
Iqbal, Z., G.H. Kwei, B.L. Ramakrishna and E.W. Ong, Structure and bulk superconductivity of $BaPb_{0.5}Bi_{0.25}Tl_{0.25}O_{3-\delta}$ 167 (1990) 369

Ishida, T. and T. Sakuma, Critical temperature control of $Bi_2Sr_2CuO_x$ by quenching 167 (1990) 258
Iye, Y., A. Watanabe, S. Nakamura, T. Tamegai, T. Terashima, K. Yamamoto and Y. Bando, Dissipation in the mixed state of conventional and high temperature superconductors 167 (1990) 278
Iyer, R.M., see A. Sequeira 167 (1990) 291
Izumi, F., see T. Mochiku 167 (1990) 560

Janes, R., R.S. Liu, P.P. Edwards and J.L. Tallon, The effect of variable microwave power on the low-field absorption in high-T_c superconducting cuprates 167 (1990) 520
Jánossy, A., see G. Oszlányi 167 (1990) 157
Jánossy, A., A. Rockenbauer and S. Pekker, Gd^{3+} electron paramagnetic resonance in the quasi-two-dimensional antiferromagnet $YBa_2Cu_3O_{6.02}$:Gd 167 (1990) 301
Jia, C.L., B. Kabius, H. Soltner, U. Poppe, K. Urban, J. Schubert and Ch. Buchal, A study of the microstructure of epitaxial heterostructures of $YBa_2Cu_3O_7$ and $PrBa_2Cu_3O_7$ 167 (1990) 463
Jilek, E., see A.W. Hewat 167 (1990) 579
Jorgensen, J.D., S. Pei, P. Lightfoot, H. Shi, A.P. Paulikas and B.W. Veal, Time-dependent structural phenomena at room temperature in quenched $YBa_2Cu_3O_{6.41}$. Local oxygen ordering and superconductivity 167 (1990) 571
Joubert, J., see M.-J. Rey 167 (1990) 162

Kabius, B., see C.L. Jia 167 (1990) 463
Kajitani, T., K. Hiraga, M. Kikuchi, S. Nakajima, K. Nagase and Y. Syono, Structural changes of 2201-, 2212- and 2223-type Tl-oxide superconductors at temperatures below 630 K 167 (1990) 212
Kaldis, E., see B. Bucher 167 (1990) 324
Kaldis, E., see H.A. Ludwig 167 (1990) 335
Kaldis, E., see A.W. Hewat 167 (1990) 579
Karkut, M.G., see L. Antognazza 167 (1990) 221
Karpinski, J., see B. Bucher 167 (1990) 324
Karpinski, J., see H.A. Ludwig 167 (1990) 335
Karpinski, J., see A.W. Hewat 167 (1990) 579
Kawai, T., see I. Matsubara 167 (1990) 503
Kawai, T., see H. Nobumasa 167 (1990) 515
Kawate, Y., see K. Shibutani 167 (1990) 102
Kedves, F.J., see S. Mészáros 167 (1990) 139
Kes, P.H., see P. Berghuis 167 (1990) 348
Kikuchi, M., see T. Kajitani 167 (1990) 212
Kinoshita, M., see I. Matsubara 167 (1990) 503
Knoll, P., see G. Hilscher 167 (1990) 472
Kober, F., see M. Zeh 167 (1990) 6
Kober, F., see D. Kölle 167 (1990) 79
Kölle, D., F. Kober, M. Hartmann, R. Gross, R.P. Huebener, B. Roas, L. Schultz and G. Saemann-Ischenko, Spatially resolved measurements of the resistive transition in epitaxial $YBa_2Cu_3O_7$-films 167 (1990) 79
Koshizuka, N., see T. Miyatake 167 (1990) 297
Kosuge, M., see T. Miyatake 167 (1990) 297
Krekels, T., T.S. Shi, J. Reyes-Gasga, G. Van Tendeloo, J. Van Landuyt and S. Amelinckx, On the structure responsible for the $2\sqrt{2a_0}\times 2\sqrt{2a_0}$ diffraction pattern in $YBa_2Cu_3O_{7-\delta}$ 167 (1990) 677

Kumar, A., see L. Ganapathi 167 (1990) 669
Kuramoto, Y., see H.J. Schmidt 167 (1990) 263
Kwei, G.H., see Z. Iqbal 167 (1990) 369

Lacour, C., F. Laher-Lacour, A. Dubon, M. Lagues and Ph. Moca³er, Freeze drying preparation of YBaCuO. Correlations between electrical and microstructural properties 167 (1990) 287
Lagues, M., see C. Lacour 167 (1990) 287
Laher-Lacour, F., see C. Lacour 167 (1990) 287
Lanagan, M., see P. McGinn 167 (1990) 343
Larkin, A.I., see M.V. Feigel'man 167 (1990) 177
Laroui, A., see H. Stroumbos 167 (1990) 375
Lee, S.-T., see M. Lelental 167 (1990) 614
Lee, V.Y., see B.T. Ahn 167 (1990) 529
Lelental, M., S. Chen, S.-T. Lee, G. Braunstein and T. Blanton, Microstructure of 110 K superconducting Bi–Sr–Ca–Cu–O thin films grown on (100)MgO by metallo-organic decomposition 167 (1990) 614
Lempitskii, S.V., Properties of an anisotropic system composed of a superconductor and a normal phase 167 (1990) 168
LePage, Y., see J.M. Tarascon 167 (1990) 20
Lepine, B., see B. Chevalier 167 (1990) 97
Lera, F., see R. Navarro 167 (1990) 549
Lesueur, J., P. Nedellec, H. Bernas, J.P. Burger and L. Dumoulin, Depairing-like variation of T_c in $YBa_2Cu_3O_{7-\delta}$ 167 (1990) 1
Levet, J.C., see R. Nava 167 (1990) 59
Levy, J.P., see R.J. Cava 167 (1990) 67
Li, L., see B. Zhao 167 (1990) 42
Li, S.-C., see W. Gao 167 (1990) 395
Lightfoot, P., see J.D. Jorgensen 167 (1990) 571
Lindemer, T.B., C.R. Hubbard and J. Brynestad, CO_2 solubility in $YBa_2Cu_3O_{7-x}$ 167 (1990) 312
Liu, C., see B.N. Narahari Achar 167 (1990) 62
Liu, H.K., see S.X. Dou 167 (1990) 525
Liu, R.S., see R. Janes 167 (1990) 520
Livdan, D.O., V.P. Seminozhenko, V.L. Sobolev, O.I. Tokar and D.V. Fil, An equivalent of the Eliashberg equations in the Anderson model of high-T_c superconductivity 167 (1990) 538
Lozano, L., see B. Chevalier 167 (1990) 97
Lu, J.H., see H.H. Wen 167 (1990) 75
Ludwig, H.A., W.H. Fietz, M.R. Dietrich, H. Wühl, J. Karpinski, E. Kaldis and S. Rusiecki, X-ray investigations of $Y_1Ba_2Cu_4O_8$ under high pressure 167 (1990) 335
Luo, H.L., see D.-X. Chen 167 (1990) 317
Lusk, J., see J.L. Tallon 167 (1990) 236
Lusk, J., see T.E. Freeman 167 (1990) 609

Mamsurova, L.G., K.S. Pigalskiy, V.P. Sakun, A.I. Shushin and L.G. Scherbakova, First- and second-order phase transitions and oxygen rearrangement over the Cu1–O4 chains in the orthorhombic $YBa_2Cu_3O_{6+x}$ at low temperatures 167 (1990) 11
Mannhart, J., see M. Zeh 167 (1990) 6
Marezio, M., see R.J. Cava 167 (1990) 67
Mase, S., see B. Zhao 167 (1990) 42

Matsubara, I., H. Tanigawa, T. Ogura, H. Yamashita, M. Kinoshita and T. Kawai, Growth of Li-doped and dopant-free Bi–Sr–Ca–Cu–O superconducting whiskers 167 (1990) 503
Maury, R., A.R. Fert, J.P. Redoulès, J. Ayache, J. Sabras and C. Monty, Grain size dependence of hysteresis loops by AC low magnetic field measurements in $YBa_2Cu_3O_{7-x}$ ceramics 167 (1990) 591
McCarron III, E.M., see F. Zuo 167 (1990) 567
McGinn, P., N. Zhu, W. Chen, M. Lanagan and U. Balachandran, Zone melt texturing of $YBa_2Cu_3O_{6+x}$ with silver additions 167 (1990) 343
McKinnon, W.R., see J.M. Tarascon 167 (1990) 20
Mei, Y., see D.-X. Chen 167 (1990) 317
Meszáros, S., K. Vad, G. Halász, F.J. Kedves and Sz. Balanyi, Investigation of the coupling mechanism between superconducting grains in high-T_c superconductors 167 (1990) 139
Michel, C., see T. Rouillon 167 (1990) 107
Michel, C., see V. Caignaert 167 (1990) 483
Miyatake, T., M. Kosuge, N. Koshizuka, H. Takahashi, N. Mori and S. Tanaka, Pressure dependence of superconducting transition temperature in Ca-doped $YBa_2Cu_4O_8$ 167 (1990) 297
Mizoguchi, K., see T. Mochiku 167 (1990) 560
Moca³er, Ph., see C. Lacour 167 (1990) 287
Mochiku, T., H. Asano, H. Akinaga, T. Ohshima, K. Takita, F. Izumi, Y. Takeda, M. Takano and K. Mizoguchi, Effect of annealing under high oxygen pressure on the structure and superconductivity of $(Ba_{0.85}Nd_{0.15})_2NdCu_3O_{6+z}$ 167 (1990) 560
Monod, P., see H. Stroumbos 167 (1990) 375
Monty, C., see R. Maury 167 (1990) 591
Moodenbaugh, A.R., see Y. Zhu 167 (1990) 363
Mori, N., see T. Miyatake 167 (1990) 297
Müller, H., see M. Zeh 167 (1990) 6

Nagase, K., see T. Kajitani 167 (1990) 212
Nakajima, S., see T. Kajitani 167 (1990) 212
Nakamura, S., see Y. Iye 167 (1990) 278
Narahari Achar, B.N. and C. Liu, On the magnetic field dependence of acoustic wave velocity in the mixed state of a high-T_c superconductor 167 (1990) 62
Narayan, J., see L. Ganapathi 167 (1990) 669
Nava, R., M. Saint-Paul, H. Noël, J.C. Levet, M. Potel and P. Gougeon, Sound velocity in $YBa_2Cu_3O_{6+x}$ and $GdBa_2Cu_3O_{6+x}$ single crystals 167 (1990) 59
Navarro, R., F. Lera, C. Rillo and J. Bartolome, $YBa_2Cu_3O_{7-\delta}$ low field diamagnetic properties. A multiharmonic analysis 167 (1990) 549
Nedellec, P., see J. Lesueur 167 (1990) 1
Niska, J., see S.X. Dou 167 (1990) 525
Nobumasa, H., K. Shimizu and T. Kawai, Correlation between the superconducting transition temperature and the spacing of $Cu–O_2$ sheets in the copper-oxide superconductors 167 (1990) 515
Noël, H., see R. Nava 167 (1990) 59

Odier, P., see H. Stroumbos 167 (1990) 375
Ogawa, R., see K. Shibutani 167 (1990) 102
Ogura, T., see I. Matsubara 167 (1990) 503
Ohshima, T., see T. Mochiku 167 (1990) 560

Ong, E.W., see Z. Iqbal 167 (1990) 369
Oszlányi, G., G. Faigel, S. Pekker and A. Jánossy, Orientation distribution of magnetic field oriented $YBa_2Cu_3O_6$ powders 167 (1990) 157

Paracchini, C., G. Calestani and M.G. Francesconi, Preparation, structural characterization and electrical conductivity of $BiSrY_{1-x}Ce_xCuO_{5+y}$ 167 (1990) 249
Paulikas, A.P., see J.D. Jorgensen 167 (1990) 571
Pei, S., see J.D. Jorgensen 167 (1990) 571
Pekker, S., see G. Oszlányi 167 (1990) 157
Pekker, S., see A. Jánossy 167 (1990) 301
Pigalskiy, K.S., see L.G. Mamsurova 167 (1990) 11
Pillmayr, N., see G. Hilscher 167 (1990) 472
Pint, W., see B. Vlcek 167 (1990) 198
Pollak, H., see G.R. Hearne 167 (1990) 415
Pollert, E., A. Tříska and J. Zemek, Charge distribution and electric properties of $YBa_2Cu_3O_{7-x}$ 167 (1990) 657
Pöllinger, S., see G. Hilscher 167 (1990) 472
Poppe, U., see C.L. Jia 167 (1990) 463
Potel, M., see R. Nava 167 (1990) 59
Puzzer, T., see A. Bailey 167 (1990) 133

Qi, Z.Z., see H.H. Wen 167 (1990) 75

Radhakrishnan, V., C.K. Subramaniam, V. Sankaranarayanan, G.V. Subba Rao and R. Srinivasan, Logarithmic temperature dependence of the resistivity of $Nd_{2-x}Ce_xCuO_{4-y}$ 167 (1990) 53
Rajagopal, H., see A. Sequeira 167 (1990) 291
Ramakrishna, B.L., see Z. Iqbal 167 (1990) 369
Ramesh, R., see J.M. Tarascon 167 (1990) 20
Raveau, B., see T. Rouillon 167 (1990) 107
Raveau, B., see V. Caignaert 167 (1990) 483
Redoulès, J.P., see R. Maury 167 (1990) 591
Reissner, M., see G. Hilscher 167 (1990) 472
Reissner, M., W. Steiner, R. Stroh, S. Hörhager, W. Schmid and W. Wruss, Influence of sintering temperature on the superconducting properties of $YBa_2Cu_3O_{7-x}$ 167 (1990) 495
Remschnig, K., see G. Hilscher 167 (1990) 472
Retoux, R., see V. Caignaert 167 (1990) 483
Rey, M.-J., Ph. Dehaudt, J. Joubert and A.W. Hewat, A structural distortion in the 123-superconductor isomorph $LaBa_2(Cu_2Nb)O_8$ 167 (1990) 162
Reyes-Gasga, J., see T. Krekels 167 (1990) 677
Ri, H.-C., see M. Zeh 167 (1990) 6
Rice, T.M., see L. Chandran 167 (1990) 127
Rillo, C., see R. Navarro 167 (1990) 549
Roas, B., see D. Kölle 167 (1990) 79
Robertson, J.A., see T.E. Freeman 167 (1990) 609
Rockenbauer, A., see A. Jánossy 167 (1990) 301
Rogalla, H., see D.H.A. Blank 167 (1990) 423

Rogl, P., see G. Hilscher 167 (1990) 472
Rouillon, T., D. Groult, M. Hervieu, C. Michel and B. Raveau, $Pb_2Sr_2LnCeCu_3O_{10+\delta}$, a new member of the layered cuprates family, built up from double fluorite-type layers 167 (1990) 107
Roux, S., see E.L. Hinrichsen 167 (1990) 433
Rudman, D.A., see W. Gao 167 (1990) 395
Rupp Jr., L.W., see R.J. Cava 167 (1990) 67
Rusiecki, S., see H.A. Ludwig 167 (1990) 335
Rusiecki, S., see A.W. Hewat 167 (1990) 579
Russell, G.J., see A. Bailey 167 (1990) 133

Sabras, J., see R. Maury 167 (1990) 591
Saemann-Ischenko, G., see D. Kölle 167 (1990) 79
Saint-Paul, M., see R. Nava 167 (1990) 59
Sakuma, T., see T. Ishida 167 (1990) 258
Sakun, V.P., see L.G. Mamsurova 167 (1990) 11
Sankaranarayanan, V., see V. Radhakrishnan 167 (1990) 53
Sastry, P.V.P.S.S., see A. Sequeira 167 (1990) 291
Schachinger, E., see B. Vlcek 167 (1990) 198
Scherbakova, L.G., see L.G. Mamsurova 167 (1990) 11
Schmid, W., see M. Reissner 167 (1990) 495
Schmidt, H.J. and Y. Kuramoto, Four-spin interaction as an effective interaction in high-T_c copper oxides 167 (1990) 263
Schubert, J., see C.L. Jia 167 (1990) 463
Schultz, L., see D. Kölle 167 (1990) 79
Seidl, E., see B. Vlcek 167 (1990) 198
Seminozhenko, V.P., see D.O. Livdan 167 (1990) 538
Sequeira, A., J.V. Yakhmi, R.M. Iyer, H. Rajagopal and P.V.P.S.S. Sastry, Novel structural features of Pb-stabilised Bi-2223 high-T_c phase from neutron-diffraction study 167 (1990) 291
Sergeenkov, S.A., Nonlinear CVC and critical current of the superconductive glass model 167 (1990) 339
Sermet, T., see M. Zeh 167 (1990) 6
Shi, H., see J.D. Jorgensen 167 (1990) 571
Shi, J.Z., see H.H. Wen 167 (1990) 75
Shi, T.S., see T. Krekels 167 (1990) 677
Shi, W.Z., see H.H. Wen 167 (1990) 75
Shibutani, K., S. Hayashi, Y. Fukumoto, R. Ogawa and Y. Kawate, Bulk synthesis of $Ln_{1-x}Ca_xBa_2Cu_4O_8$ (Ln=Y, Ho) by the oxygen-HIP technique 167 (1990) 102
Shimizu, K., see H. Nobumasa 167 (1990) 515
Shiraki, K., see B. Zhao 167 (1990) 42
Shushin, A.I., see L.G. Mamsurova 167 (1990) 11
Siddiqi, S.A., see C. Infante 167 (1990) 640
Simonov, A.Yu., see A.I. Buzdin 167 (1990) 388
Smrčková, O., see P. Svoboda 167 (1990) 188
Sobolev, V.L., see D.O. Livdan 167 (1990) 538
Soltner, H., see C.L. Jia 167 (1990) 463
Song, K.H., see S.X. Dou 167 (1990) 525
Sood, A.K., see D. Vasumathi 167 (1990) 149
Sorrell, C.C., see S.X. Dou 167 (1990) 525

Srinivasan, R., see V. Radhakrishnan 167 (1990) 53
Steiner, W., see G. Hilscher 167 (1990) 472
Steiner, W., see M. Reissner 167 (1990) 495
Stoddart, P.R., see G.R. Hearne 167 (1990) 415
Stollman, G.M., see P. Berghuis 167 (1990) 348
Stroh, R., see M. Reissner 167 (1990) 495
Stroumbos, H., A. Laroui, P. Monod, B. Decamps, J.P. Dubois and P. Odier, London penetration depth determination from ultrafine particles of $YBa_2Cu_3O_7$ 167 (1990) 375
Subba Rao, G.V., see V. Radhakrishnan 167 (1990) 53
Subramaniam, C.K., see V. Radhakrishnan 167 (1990) 53
Suenaga, M., see Y. Zhu 167 (1990) 363
Sundar, C.S., see D. Vasumathi 167 (1990) 149
Svoboda, P., P. Vašek, O. Smrčková and D. Sýkorová, Weak links in Pb-doped BiSrCaCuO ceramic superconductors 167 (1990) 188
Sýkorová, D., see P. Svoboda 167 (1990) 188
Syono, Y., see T. Kajitani 167 (1990) 212

Tafto, J., see Y. Zhu 167 (1990) 363
Takahashi, H., see T. Miyatake 167 (1990) 297
Takano, M., see T. Mochiku 167 (1990) 560
Takeda, Y., see T. Mochiku 167 (1990) 560
Takita, K., see T. Mochiku 167 (1990) 560
Tallon, J.L. and J. Lusk, High-pressure studies on the 90 K superconductors $Y_2Ba_4Cu_7O_{15}$ and $(Y/Ca)Ba_2Cu_4O_8$ 167 (1990) 236
Tallon, J.L., see R. Janes 167 (1990) 520
Tamegai, T., see Y. Iye 167 (1990) 278
Tan, Z., see M.E. Filipkowski 167 (1990) 35
Tanaka, S., see T. Miyatake 167 (1990) 297
Tang, I.M., K. Eaiprasertsak, R. Chitaree and P. Winotai, Liquid nitrogen quenching of lead-doped "2212" bismuth superconductors 167 (1990) 491
Tanigawa, H., see I. Matsubara 167 (1990) 503
Tarascon, J.M., Y. LePage, W.R. McKinnon, R. Ramesh, M. Eibschutz, E. Tselepis, E. Wang and G.W. Hull, New non-superconducting modulation-free $BiPbSr_2MO_y$ phases (M = Co, Mn, Fe) isotypic with the 10 K $Bi_2Sr_2CuO_y$ superconductor 167 (1990) 20
Taylor, K.N.R., see A. Bailey 167 (1990) 133
Terashima, T., see Y. Iye 167 (1990) 278
Tewari, S.P. and P.K. Gumber, Effect of thermal phonons and two-dimensional acoustic plasmons on superconductivity in $YBa_2Cu_3O_7$ 167 (1990) 307
Tokar, O.I., see D.O. Livdan 167 (1990) 538
Town, S.L., see A. Bailey 167 (1990) 133
Tressaud, A., see B. Chevalier 167 (1990) 97
Triscone, J.-M., see L. Antognazza 167 (1990) 221
Tříska, A., see E. Pollert 167 (1990) 657
Tselepis, E., see J.M. Tarascon 167 (1990) 20

Urban, K., see C.L. Jia 167 (1990) 463

Ustinov, A.V., see M. Zeh 167 (1990) 6

Vad, K., see S. Meszáros 167 (1990) 139
Van Bentum, J., see P. Berghuis 167 (1990) 348
Vander Sande, J.B., see W. Gao 167 (1990) 395
Van Landuyt, J., see T. Krekels 167 (1990) 677
Van Ruitenbeek, J.M., see Q. Xu 167 (1990) 271
Van Tendeloo, G., D. Broddin, H.W. Zandbergen and S. Amelinckx, Detwinning mechanism, twinning dislocations and planar defects in $YBa_2Cu_3O_{7-\delta}$ 167 (1990) 627
Van Tendeloo, G., see T. Krekels 167 (1990) 677
Vašek, P., see P. Svoboda 167 (1990) 188
Vasumathi, D., C.S. Sundar, A. Bharathi, A.K. Sood and Y. Hariharan, A positron annihilation study of the decomposition of $Y_1Ba_2Cu_3O_{7-x}$ 167 (1990) 149
Veal, B.W., see J.D. Jorgensen 167 (1990) 571
Vlcek, B., E. Seidl, H.W. Weber, E. Schachinger and W. Pint, Superconducting alloys with paramagnetic impurities II: magnetization and upper critical fields of $LaAl_2$ with dilute Gd impurities 167 (1990) 198

Wachter, P., see B. Bucher 167 (1990) 324
Wang, C., see Z. Gao 167 (1990) 49
Wang, E., see J.M. Tarascon 167 (1990) 20
Wang, G., see Z. Gao 167 (1990) 49
Watanabe, A., see Y. Iye 167 (1990) 278
Weber, H.W., see B. Vlcek 167 (1990) 198
Wen, H.H., J. Fang, J.H. Lu, X.W. Cao, J.Z. Shi, W.Z. Shi, W.G. Yao and Z.Z. Qi, Characteristics of critical current density and weak links in an $YBa_2Cu_3O_{7-\delta}$ superconducting thin film 167 (1990) 75
Wener, H.-G., see M. Zeh 167 (1990) 6
Winotai, P., see I.M. Tang 167 (1990) 491
Wruss, W., see M. Reissner 167 (1990) 495
Wu, C.C., see C.S. Ares Fang 167 (1990) 89
Wu, N.-L. and H.T. Chu, Oxygenation and superconductivity of $Tl_2CaBa_2Cu_2O_{8-x}$ 167 (1990) 267
Wühl, H., see H.A. Ludwig 167 (1990) 335

Xu, P., see B. Zhao 167 (1990) 42
Xu, Q., W.T. Fu, J.M. van Ruitenbeek and L.J. De Jongh, Physical properties of the monolayer compounds $Ba_2Pb_{1-x}Bi_xO_4$ 167 (1990) 271

Yakhmi, J.V., see A. Sequeira 167 (1990) 291
Yamamoto, K., see Y. Iye 167 (1990) 278
Yamashita, H., see I. Matsubara 167 (1990) 503
Yao, W.G., see H.H. Wen 167 (1990) 75
Yao, Y.D., see C.S. Ares Fang 167 (1990) 89

Zandbergen, H.W., see G. Van Tendeloo 167 (1990) 627
Zeh, M., H.-C. Ri, F. Kober, R.P. Huebener, J. Fischer, R. Gross, H. Müller, T. Sermet, A.V. Ustinov, H.-G. Wener and J. Mannhart, Flux-flow induced Nernst effect in superconducting YBaCuO films

167 (1990) 6
Zemek, J., see E. Pollert 167 (1990) 657
Zhang, D., see Z. Gao 167 (1990) 49
Zhang, Y., see B. Zhao 167 (1990) 42
Zhao, B., K. Shiraki, Y. Horie, S. Mase, Y. Zhang, Y. Zhao, L. Chen, P. Xu and L. Li, Magnetoresistance above and below T_c in *c*-axis-oriented $YBa_2Cu_3O_{7-\delta}$ 167 (1990) 42
Zhao, Y., see B. Zhao 167 (1990) 42
Zhu, C., see Z. Gao 167 (1990) 49
Zhu, N., see P. McGinn 167 (1990) 343
Zhu, Y., A.R. Moodenbaugh, M. Suenaga and J. Tafto, An early stage of oxygen ordering in $YBa_2Cu_3O_{6+x}$ $(0 \leqslant x \leqslant 1)$ 167 (1990) 363
Zuo, F., A.J. Epstein, E.M. McCarron III and W.E. Farneth, Nonlinear magnetic response of semiconducting $Y_1Ba_2Cu_3O_{6+x}$ 167 (1990) 567

Physica C 167 (1990) 703–705
North-Holland

ANALYTIC SUBJECT INDEX TO VOLUME 167

Acoustic plasmons
– in $YBa_2Cu_3O_7$ 307
AC susceptibility
– of $Ba_2Pb_{1-x}Bi_xO_4$ 271
– of $Bi_{1.8}Pb_{0.2}Sr_2Cu_3O_y$ 317
– of $LaAl_2$-Gd 198
– of $(Y/Ca)Ba_2Cu_4O_8$ 236
– of $Y_2Ba_4Cu_7O_{15}$ 236
– of $YBa_2Cu_3O_{7-\delta}$ 549
AES
– on $Y_1Ba_2Cu_3O_{7-\delta}$ (thin films) 423
Anharmonicity
– in $GdBa_2Cu_3O_{6+x}$ (single crystals) 59
– in Nb_3Sn 415
– in $YBa_2Cu_3O_{6+x}$ (single crystals) 59
Anisotropic superconductor 168, 324, 388
Antiferromagnetic order
– in $Y_{1-x}Gd_xBa_2Cu_3O_{6.02}$ 301

Bipolaronic superconductivity
– in $Y_1Ba_2Cu_4O_8$ 324

Charge transfer
– in $YBa_2Cu_3O_{6.41}$ 571
CO_2 solubility
– in $YBa_2Cu_3O_{7-x}$ 312
Coherence length
– in $YBa_2Cu_3O_{7-\delta}$ 42
Composites of Ag
– with $Bi_{1.4}Pb_{0.6}Sr_2Ca_3Cu_4O_x$ 395
Coulomb interactions (theory) 228
Coulometric titration
– of $YBa_2Cu_3O_{6+x}$ 529
Critical current density 339
– in $Bi_{1.8}Pb_{0.2}Sr_2Cu_3O_y$ 317
– in $Bi_2Sr_2Ca_1Cu_2O_x$ 503
– in superconductor superlattices 168
– in $Y_{1-x}Ca_xBa_2Cu_4O_8$ 102
– in $YBa_2Cu_3O_{6+x}$-Ag 343
– in $YBa_2Cu_3O_7$ 79
– in $YBa_2Cu_3O_{7-\delta}$ 139
– in $YBa_2Cu_3O_{7-\delta}$+Ag (films) 133
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) 75
– in $YBa_2Cu_3O_{7-x}$ 495
– in YBaCuO (freeze dried) 287
Critical phenomena 388
Crystal field
– in $Y_{1-x}Gd_xBa_2Cu_3O_{6.02}$ 301
– in $Y_2Ba_4Cu_8O_{16-\delta}$ (thin films) 348
Cu–Cu distance effect on T_c 515
Cu–O chains
– in $LaBa_2(Cu_2Nb)O_8$ 162
– in $Y_{1-x}Ca_xBa_2Cu_4O_8$ 297
– in $YBa_2Cu_3O_{6+x}$ 11
Cu–O planes 127, 359
– distance effect on T_c 515
– in $La_xY_{1-x}Ba_2Cu_3O_7$ 669
– in $Y_{1-x}Ca_xBa_2Cu_4O_8$ 297
– in $YBa_2Cu_3O_{6+x}$ ($0 \leqslant x \leqslant 1$) 363
Current–voltage characteristic 339

Defect structures
– in $YBa_2Cu_3O_{6+x}$ ($0 \leqslant x \leqslant 1$) 363
Depairing
– in $YBa_2Cu_3O_{7-\delta}$ 1
DTA
– of $Tl_2Ba_2Ca_2Cu_{3\text{-}oxides}$ (single crystal) 212

Electrical resistivity
– of a network 433
– of $Bi_{4-x}Pb_xSr_4Ca_2Cu_4O_y$ 491
– of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ 609
– of $BiSrY_{1-x}Ce_xCuO_{5+y}$ 249
– of $Nd_{2-x}Ce_xCuO_{4-y}$ 53
– of $Y_2Ba_4Cu_8O_{16-\delta}$ (thin films) 348
– of $YBa_2Cu_3O_{7-x}$ 49
– on $Nd_{1.85}Ce_{0.15}CuO_4$ 472
Electrical resistivity, spatially resolved
– in $YBa_2Cu_3O_7$ 79
Electron diffraction
– in $YBa_2Cu_3O_{6+x}$ ($0 \leqslant x \leqslant 1$) 363
– in $YBa_2Cu_3O_{7-\delta}$ 677
Electron-doped superconductor 89
– $Nd_{2-x}Ce_xCuO_{4-y}$ 53
Electron microscopy
– of Ag-$Bi_{1.4}Pb_{0.6}Sr_2Ca_3Cu_4O_x$ 395
– of Bi–Sr–Ca–Cu–O (thin films) 614
– of $Pb_3Sr_3Cu_3O_{8+\delta}Cl$ 67
– of $Sr_{2-x}A_xNdCu_2O_{6-y}$ (A=Ca,Ba) 483
– of $YBa_2Cu_3O_7$ 375
Eliashberg equations
– applied to $YBa_2Cu_3O_7$ 307
– theory 228
Emery model 359
Energy gap (theory) 228
Epitaxial growth
– of Mo/Nb multilayers 221
EPR
– in $Y_{1-x}Gd_xBa_2Cu_3O_{6.02}$ 301
ESR
– in $Ba_2Pb_{1-x}Bi_xO_4$ 271
– in $Y_{0.98}Gd_{0.02}Ba_2Cu_3O_{6.02}$ 157
– of $La_{2-x}Sr_xCuO_{4+y}$ 35

Fluctuation effects
– in $YBa_2Cu_3O_{7-\delta}$ 42
Fluorination
– of La_2CuO_4 97
Flux creep
– in amorphous MoGe 278
– in $Bi_2Sr_2CaCu_2O_{8+y}$ 278
– in $Y_2Ba_4Cu_8O_{16-\delta}$ (thin films) 348
– in $YBa_2Cu_3O_{7-y}$ 278
– in YBaCuO (films) 6
– theory 177
Flux pinning 62
– in YBaCuO (films) 6
– theory 177
Four-spin exchange 263

Ginzburg–Landau theory 388
Glassy state 339
Grain alignment (texturing)
– in $YBa_2Cu_3O_{6+x}$-Ag 343
Grain boundaries
– in $YBa_2Cu_3O_{7-x}$ 591
Grain size effects
– in $YBa_2Cu_3O_{7-x}$ 591
Granular superconductivity
– in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ 609
– in $YBa_2Cu_3O_{7-x}$ 495

Harmonic analysis
– of AC susceptibility of superconductors 549
High pressure annealing
– of $(Ba_{0.85}Nd_{0.15})_2NdCu_3O_{6+z}$ 560
High pressure effect
– in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ 609
– in $Y_1Ba_2Cu_4O_8$ 335
– in $Y_{1-x}Ca_xBa_2Cu_4O_8$ 297
– in $Y_2Ba_4Cu_7O_{15}$ 236
– in $YBa_4Cu_7O_{15}$ 579
– on $(Y/Ca)Ba_2Cu_4O_8$ 236

Hole concentration 127
– in $YBa_2Cu_3O_{7-\delta}$ 657
Holons 538
Hot isostatic pressing
– of $Bi_{0.58}Pb_{2.8}Sr_{3.0}Ca_{2.1}Cu_{1.1}O_x$ 525
– of $(BiPb)_2Sr_2Ca_1Cu_2O_x$ 525
– of $(BiPb)_2Sr_2Ca_2Cu_3O_{10-y}$ 525
– of $Ho_{1-x}Ca_xBa_2Cu_4O_8$ 102
– of $Y_{1-x}Ca_xBa_2Cu_4O_8$ 102
HREM
– on multilayer $YBa_2Cu_3O_7$ 463
– on $YBa_2Cu_3O_{7-\delta}$ 627, 677
Hubbard Hamiltonian 263
Hysteresis
– in $YBa_2Cu_3O_{6+x}$ 567
– in $YBa_2Cu_3O_{7-x}$ 591

Infrared spectroscopy
– of $La_{1-x}Pr_xCaBaCu_3O_{7-\delta}$ 640
– of $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ 640
Ion channeling measurements
– on Bi–Sr–Ca–Cu–O (thin films) 614
Irradiation effect
– in $YBa_2Cu_3O_{7-\delta}$ 1

Josephson effect
– in $YBa_2Cu_3O_{7-\delta}$+Ag (films) 133

Laser ablation
– of $Y_1Ba_2Cu_3O_{7-\delta}$ (thin films) 423
Laser plasma-deposition
– of $Bi_2Sr_2Ca_1Cu_2O_x$ 509
– of $Bi_2Sr_2Ca_2Cu_3O_x$ 509
Layered superconductors 168, 177

Magnetic orientation
– of $Y_1Ba_2Cu_3O_6$ 157
Magnetic phase transition
– in $La_{2-x}Sr_xCuO_{4+y}$ 35
Magnetic scattering
– in $Nd_{2-x}Ce_xCuO_{4-y}$ 53
Magnetic susceptibility
– of $BaPb_{0.5}Bi_{0.25}Tl_{0.25}O_{3-\delta}$ 369
– of $Bi_{0.7}Pb0.3SrCaCu_{1.8}O_x$ 188
– of $Tl_2CaBa_2Cu_2O_{8-x}$ 267
Magnetism
– in $LaAl_2$.Gd 198
Magnetism and superconductivity
– in $La_{2-x}Sr_xCuO_{4+y}$ 35
Magnetization
– of Gd-doped $LaAl_2$ 198
– of $YBa_2Cu_3O_{6+x}$ 567
– of $YBa_2Cu_3O_{7-x}$ 495
Magnetoresistance
– of $Bi_{0.7}Pb0.3SrCaCu_{1.8}O_x$ 188
– of $YBa_2Cu_3O_{7-\delta}$ 42, 139
– of $YBa_2Cu_3O_{7-\delta}$ (thin film) 75
Meissner effect
– in $YBa_2Cu_3O_7$ 375
Metal–insulator transition 359
– in $BiSrY_{1-x}Ce_xCuO_{5+y}$ 249
Metallic ribbons of Ag
– in $Bi_{1.4}Pb_{0.6}Sr_2Ca_3Cu_4O_x$ 395
Metallo-organic deposition
– of Bi–Sr–Ca–Cu–O (thin films) 614
Microwave absorption
– in $Er_2Ba_4Cu_7O_{15-x}$ 520
– in $Tl_2Ba_2CeCu_2O_x$ 520
– in $YBa_2Cu_3O_{7-x}$ 520
Mixed state 62, 433
Modulated structures
– in $BiPbSr_2MO_y$ (M=Co,Mn,Fe) (single crystals) 20
– in $YBa_2Cu_3O_{7-\delta}$ 677
Mössbauer spectroscopy
– on Nb_3Sn 415
Multilayers
– of Mo/Nb 221
– of $PrBa_2Cu_3O_7$ 463
– of $YBa_2Cu_3O_7$ 463

Nernst effect
– in YBaCuO (films) 6
Neutron diffraction
– in $(Ba_{0.85}Nd_{0.15})_2NdCu_3O_{6+z}$ 560
– in $Bi_{2-x}Pb_xCa_2Sr_2Cu_3O_{10}$ 291
– in $LaBa_2(Cu_2Nb)O_8$ 162
– in $Sr_{2-x}Nd_{1+x}Cu_2O_{6-y}$ 483
– in $YBa_2Cu_3O_{6.41}$ 571
– in $YBa_4Cu_7O_{15}$ 579

O–T transition
– in $Y_1Ba_2Cu_3O_{7-\delta}$ 149
– in $YBa_2Cu_3O_{7-x}$ 49, 408
Oxygen stoichiometry 67
– in $Tl_2CaBa_2Cu_2O_{8-x}$ 267
– in $Y_1Ba_2Cu_3O_{7-\delta}$ 149
– in $YBa_2Cu_3O_{6+x}$ 529
– in $YBa_2Cu_3O_{6+x}$ $(0 \leqslant x \leqslant 1)$ 363
– in $YBa_2Cu_3O_{7-\delta}$ 1

Penetration depth
– in $YBa_2Cu_3O_7$ 375
Peroxides
– in $YBa_2Cu_3O_{7-\delta}$ 657
Phase diagram 388
– of $YBa_2Cu_3O_{6+x}$ 11, 529
Polarisation optical microscopy
– of $YBa_2Cu_3O_{7-x}$ 408
Positron annihilation
– in $Y_1Ba_2Cu_3O_{7-\delta}$ 149

Quenching effects
– in $Bi_2Sr_2CuO_x$ 258
– in $Bi_{4-x}Pb_xSr_4Ca_2Cu_4O_y$ 491
– in $YBa_2Cu_3O_{6.41}$ 571

Raman scattering (theory) 112, 263
Recoil-free fraction of Sn
– in Nb_3Sn 415
RHEED
– of Mo/Nb multilayers 221
Rutherford backscattering
– on multilayer $YBa_2Cu_3O_7$ 463
RVB model 538

Scanning electron microscopy
– in $YBa_2Cu_3O_7$ 79
Semiconducting $YBa_2Cu_3O_{6+x}$ 567
Specific heat
– of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ 598
– of $Ca_{0.86}Sr_{0.14}CuO_2$ 598
– of Ca_2CuO_3 598
Spin density wave and superconductivity (theory) 112
Spinons 538
SQUID in $YBa_2Cu_3O_{7-\delta}$+Ag (films) 133
Structural phase transition
– in $BiPbSr_2MO_y$ (M=Co,Mn,Fe) (single crystals) 20
– in La_2CuO_4 97
– in $LaBa_2(Cu_2Nb)O_8$ 162
– in $Tl_2Ba_2Ca_2Cu_{3\text{-}oxides}$ (single crystal) 212
– in $YBa_2Cu_3O_{6+x}$ 11
– in $YBa_2Cu_3O_{7-x}$ 49, 408
Structure
– and T_c 515
– of $(Ba_{0.85}Nd_{0.15})_2NdCu_3O_{6+z}$ 560
– of $BaPb_{0.5}Bi_{0.25}Tl_{0.25}O_{3-\delta}$ 369
– of $Bi_{2-x}Pb_xCa_2Sr_2Cu_3O_{10}$ 291
– of $BiPbSr_2MO_y$ (M=Co,Mn,Fe) (single crystals) 20
– of $La_xY_{1-x}Ba_2Cu_3O_7$ 669
– of $Pb_2Sr_2LnCeCu_3O_{10+\delta}$ 107
– of $Pb_3Sr_3Cu_3O_{8+\delta}Cl$ 67
– of $Y_1Ba_2Cu_4O_8$ 335
– of $YBa_4Cu_7O_{15}$ 579
Substitution effects
– in $Bi_2Sr_2Ca_1Cu_2O_x$ 503
– in $Bi_2Sr_2CuO_x$ 258
– in $Bi_{2-x}Pb_xCa_2Sr_2Cu_3O_{10}$ 291
– in $La_xY_{1-x}Ba_2Cu_3O_7$ 669
– in $Nd_{2-x}Ce_xCu_{1-y}Ag_yO_{4-\delta}$ 89
Substitution effects of Fl
– in La_2CuO_4 97
Substitution effects of Pr
– in $LaCaBaCu_3O_{7-\delta}$ 640
– in $Y_{0.8}Ca_{0.2}Ba_2Cu_3O_{6+d}$ 640
Substitution effects of Zn for Cu
– in $Nd_{1.85}Ce_{0.15}CuO_4$ 472
Substrate effects
– on $Y_1Ba_2Cu_3O_{7-\delta}$ (thin films) 423

Synthesis
– of $YBa_2Cu_3O_{6+x}Ag$ 343
– of $YBa_2Cu_3O_{7-x}$ 312
– of YBaCuO (freeze dried) 287

Thermal phonons
– in $YBa_2Cu_3O_7$ 307
Twin boundaries
– in $Y_1Ba_2Cu_4O_8$ 324
– in $YBa_2Cu_3O_{7-\delta}$ 627
Two spin fluid model 127

Ultrasound velocity 62
– in $GdBa_2Cu_3O_{6+x}$ (single crystals) 59
– in $YBa_2Cu_3O_{6+x}$ (single crystals) 59
Upper critical field H_{c2}
– of Gd-doped $LaAl_2$ 198

Weak coupling 433
Weak links
– in $Bi_{0.7}Pb0.3SrCaCu_{1.8}O_x$ 188
– in $Bi_{1.8}Pb_{0.2}Sr_2Cu_3O_y$ 317
– in $Nd_{1.85}Ce_{0.15}CuO_4$ 472
– in $YBa_2Cu_3O_{7-\delta}$ 139, 549
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) 75
Whiskers
– in $Bi_2Sr_2Ca_1Cu_2O_x$ 503

XPS
– of $Nd_{2-x}Ce_xCu_{1-y}Ag_yO_{4-\delta}$ 89
– of $YBa_2Cu_3O_{7-\delta}$ 657